

<b>TECHNICAL DATA</b>	<b>GR300A1 IV 12Vdc</b>	<b>GR300A1 IV 220V</b>	<b>GR400A1 IV 12Vdc</b>	<b>GR400A1 IV 220V</b>	<b>GR600A1 IV 12Vdc</b>	<b>GR600A1 IV 220V</b>
<b>POWER SUPPLY</b> (V 220ac 50/60Hz)	12	220 - 230	12	220	12	220
<b>POWER ABSORBED (W)</b>	70	350	70	350	70	350
<b>CURRENT ABSORBED (A)</b>	0,5 - 7,5	1,2	0,5 - 7,5	1,2	0,5 - 7,5	1,2
<b>CAPACITOR (µF)</b>	-	8,0	-	8,0	-	8,0
<b>STROKE (mm)</b>	300	300	400	400	600	600
<b>OPENING TIME (sec)</b>	16	17	21	22	31	33
<b>SPEED' (m/s)</b>	0,019	0,018	0,019	0,018	0,019	0,018
<b>MAX THRUST (N)</b>	1500	2200	1500	2200	1500	2200
<b>MAX. LEAF LENGHT (m)</b>	3,0	3,0	4,0	4,0	5,0	5,0
<b>MAX LEAF WEIGHT(kg)</b>	250	250	250	250	250	250
<b>RPM</b>	1600	1400	1600	1400	1600	1400
<b>WORKING TEMP. (°C)</b>	-25 +60	-25 +60	-25 +60	-25 +60	25 +60	25 +60
<b>THERMAL PROTECTION (°C)</b>	-	150	-	150	-	
<b>PROTECTION LEVEL IP</b>	43	43	43	43	43	43
<b>WORKING CYCLE %</b>	90	35	90	35	90	35
<b>RELEASE</b>	MANUAL KEY					